

Form Approved
OMB No. 0704-0188

1. REPORT DATE (DD-MM-YYYY)

3. DATES COVERED (From - To)

5a. CONTRACT NUMBER

5c. PROGRAM ELEMENT NUMBER	
----------------------------	--

5d. PROJECT NUMBER

5f. WORK UNIT NUMBER

8. PERFORMING ORGANIZATION REPORT

10. SPONSOR/MONITOR'S
ACRONYM(S)

11. SPONSOR/MONITOR'S
NUMBER(S)

NUMBER(S)
please see attached

13. SUPPLEMENTARY NOTES

20030129 201

16. SECURITY CLASSIFICATION OF:

18. NUMBER
OF PAGES

Leilani Richardson

c. THIS PAGE

Unclassified

19b. TELEPHONE NUMBER
(include area code)
(661) 275-5015

MEMORANDUM FOR PRS (Contractor Publication)

FROM: PROI (STINFO)

05 June 2001

SUBJECT: Authorization for Release of Technical Information, Control Number: **AFRL-PR-ED-VG-2001-130**
Fajardo, Mario, "Spectral Inhomogeneity as a Discrete, Countable Entity – The Role of Residual oH2
Molecules on the RoVibrational Spectra of Dopants in pH2 Solids"

56th International Symposium on Molecular Spectroscopy
Columbus OH, 11-15 June 2001) (Deadline: ASAP)

(Statement A)

1. This request has been reviewed by the Foreign Disclosure Office for: a.) appropriateness of distribution statement, b.) military/national critical technology, c.) export controls or distribution restrictions, d.) appropriateness for release to a foreign nation, and e.) technical sensitivity and/or economic sensitivity.

Comments: _____

Signature _____ Date _____

2. This request has been reviewed by the Public Affairs Office for: a.) appropriateness for public release and/or b) possible higher headquarters review.

Comments: _____

Signature _____ Date _____

3. This request has been reviewed by the STINFO for: a.) changes if approved as amended, b) appropriateness of references, if applicable; and c.) format and completion of meeting clearance form if required

Comments: _____

Signature _____ Date _____

4. This request has been reviewed by PR for: a.) technical accuracy, b.) appropriateness for audience, c.) appropriateness of distribution statement, d.) technical sensitivity and economic sensitivity, e.) military/national critical technology, and f.) data rights and patentability

Comments: _____

APPROVED/APPROVED AS AMENDED/DISAPPROVED

PHILIP A. KESSEL
Technical Advisor
Space and Missile Propulsion Division

Date


Spectral Inhomogeneity as a Discrete, Countable Entity - The Role of Residual oH₂ Molecules on the RoVibrational Spectra of Dopants in pH₂ Solids

Mario E. Fajardo, and Simon Tam

USAF Research Laboratory, AFRL/PRSP, Bldg. 8451, Edwards AFB, CA 93524-7680
mario_fajardo@edwards.af.mil

- * Introduction
- * Rapid Vapor Deposition of Transparent Parahydrogen (pH₂) Solids
- * High Resolution IR Absorption Spectroscopy in Doped pH₂ Solids
Rotating (CH₄) vs. Nonrotating (CO₂) Dopants
- * Role of Residual oH₂ Molecules on Spectra of:
CO₂ dopant
H₂O dopant
- * Summary


Textbook Inhomogeneous Broadening





* Assumes continuously variable peak energies for the homogeneous sub-population lines; due to imperfections e.g.: strains, dislocations, stacking faults, unintentional impurities, etc.

[G.F. Imbusch and R. Kopelman, "Optical Spectroscopy of Electronic Centers in Solids," in Laser Spectroscopy of Solids, edited by W.M. Yen and P.M. Selzer (Springer-Verlag, Berlin, 1986)]

ortho- and para-hydrogen



oD₂-oH₂ pairs in solid pH₂



Optical Scattering in Solid Hydrogen

Crystal Growing and Quality (p. 81)

“There is a considerable art to growing hydrogen crystals of high quality. Good crystals are always grown slowly from the melt; a rapid freeze from the gas produces snow.”


Crystallite Light Scattering (p. 83)

“The reason that a good hydrogen crystal is so hard to see is its low refractive index...an estimated 1.16!

Yet a 1 mm-thick layer of hydrogen crystallites can be a completely opaque brown-black.”


[P.C. Souers, Hydrogen Properties for Fusion Energy (UC Press, Berkeley, 1986)]

Experimental Diagram (c1997)




M.E. Fajardo and S. Tam, J. Chem. Phys. **108**, 4237 (1998).
S. Tam and M.E. Fajardo, Rev. Sci. Instrum. **70**, 1926 (1999).

Transmission Spectrum of B/pH₂ d₂1mm




M.E. Fajardo and S. Tam, J. Chem. Phys. **108**, 4237 (1998).
S. Tam, M. MacIer, M.E. DeRose, and M.E. Fajardo, J. Chem. Phys. **113**, 9067 (2000).

ν_4 CH₄/pH₂ IR Absorptions (res = 0.01 cm⁻¹)




S. Tam, M.E. Fajardo, H. Katsuki, H. Hoshina, T. Wakabayashi, and T. Momose, J. Chem. Phys. **111**, 4191 (1999).

ν_4 CH_4/pH_2 IR Absorptions




- (a) Rapid Vapor Deposited sample: as-deposited at 2.4 K
- (b) Rapid Vapor Deposited sample: annealed to 4.8 K
- (c) Enclosed Cell Condensed sample: cooled to 4.8 K

CO_2/pH_2 Trapping Sites



S. Tam and M.E. Fajardo, Fiz. Nizk. Temp. **26**, 889 (2000) {Low Temp. Phys. **26**, 653 (2000)}.

CO₂/pH₂ IR Absorptions



as-deposited at $T = 2.4$ K


$d \approx 1$ mm

$\text{res} = 0.008 \text{ cm}^{-1}$


- (c) 1.2 ppm CO₂/pH₂
- (b) 0.04 ppm CO₂/pH₂
- (a) 0.01 ppm CO₂/pH₂

S. Tam and M.E. Fajardo, Fiz. Nizk. Temp. **26**, 889 (2000) {Low Temp. Phys. **26**, 653 (2000)}.

$^{13}\text{C}^{16}\text{O}_2/^{12}\text{C}^{16}\text{O}_2/\text{pH}_2$



$(\text{oH}_2)_n - \text{CO}_2$ clusters



as-deposited

$T = 2.4 \text{ K}$

$d \approx 1 \text{ mm}$

CO₂-(oH₂)_n Counting Scheme

* CO₂/oH₂/pH₂ peaks start out as well separated, discrete features
⇒ try counting them!


* CO₂-oH₂: nn ip, nn oop, nnn

* CO₂-(oH₂)₂: nn ip + nn ip (3x)
 nn oop + nn oop (3x)
 nn ip + nn oop (3x)
 nn + nnn, nnn + nnn

* CO₂-(oH₂)₃: nn ip + nn ip + nn ip (3x)
 nn oop + nn oop + nn oop (3x)
 nn ip + nn ip + nn oop (9x)
 nn ip + nn oop + nn oop (9x)
 nn² + nnn, nn + nn², nnn³

* CO₂-(oH₂)_n...


Allowed IR Transitions of gas-phase H_2O



[J.A. Glasel, J. Chem. Phys. **33**, 252 (1960)]


[G. Herzberg, Molecular Spectra and Molecular Structure, Vol. II (Krieger, Malabar, FL, 1991)]

Matrix Isolated $\text{H}_2\text{O}/\text{Ne}$




[D. Forney, M.E. Jacox, W.E. Thompson, J. Mol. Spec. **157**, 479 (1993)]


15 ppm $\text{H}_2\text{O}/\text{pH}_2$ $d \approx 3$ mm



$\text{H}_2\text{O}/\text{oH}_2/\text{pH}_2$



$\text{H}_2\text{O}/\text{oH}_2/\text{pH}_2$ detail



Summary

- * Demonstrated suitability of Rapid Vapor Deposited pH₂ solids as hosts for high resolution IR absorption spectroscopy of chemically interesting dopants.
- * Fine structure in IR spectra of CO₂/pH₂ solids is due to CO₂-(oH₂)_n clusters.
- * Initially well-separated CO₂-oH₂ peaks
⇒ interesting system for hole-burning studies (?)
- * oH₂ impurities can stop the rotation of H₂O dopants in solid pH₂
- * Speculate that IR spectra of H₂O/oH₂/pH₂ solids may provide sensitive measure of anisotropy of H₂O-oH₂ interaction potential [analysis ala Weliky et al., JCP (1996)].

Collaborators

- * Mr. Simon Tam and Ms. Michelle E. DeRose, AFRL/PRSP
responsible for our experimental data.
- * Prof. Takamasa Momose, Kyoto U.
spectroscopy of CH_4 , C_{60} , and CO doped pH_2 solids.
- * Prof. Robert J. Hinde, U. Tennessee at Knoxville
dopant-induced IR absorptions.
- * Prof. David T. Anderson, U. Wyoming
spectroscopy of HCl and $(\text{HCl})_2$ in solid pH_2 .